



DEMI DEKK

DECKING AND GARDEN STAIN



ONE COAT, THREE YEAR PROTECTION

Demidekk® Decking & Garden Stain

The Natural Look for Beautiful Wood

Demidekk Decking & Garden Stain is an exterior alkyd, oil based, water-borne and pigmented wood stain. It is a special product for treating pressure-treated wood used in decking, fencing and garden furniture. It gives up to 3 years protection depending on wear.

Demidekk Decking & Garden Stain has excellent penetrating and water repellent properties preventing the timber from cracking. It also contains pigments and a UV filter, protecting the timber against degradation caused by sunlight. It also contains fungicides to combat fungus and algae growth, protecting the timber from mould.

Demidekk Decking & Garden Stain should soak into the wood without forming a thick film on the surface and in ideal conditions will be dry to touch in only 4 hours. In suitable weather conditions, the timber can then be put into use in just 12 hours.



For use outdoors on impregnated timber decking, timber stairs or wooden garden furniture, where a translucent, non-film forming protection is required.

Pour une utilisation en extérieur sur terrasse en bois imprégné, escaliers en bois ou mobilier de jardin en bois pour lesquels une protection transparente non filmogène est requise.

Drying times at +23° C

Touch dry: 4h

Temps de séchage: +23° C

Sec au toucher: 4h

Coverage/Rendement

6-10m²/litre

Maintenance cycle

Up to 3 years provided application is in accordance with our guidance.

Cycle d'entretien

Jusqu'à 3 ans si l'application est effectuée conformément à nos recommandations.

Application method


Brush or roller and brush combination.

Méthode d'application

Brosse ou combinaison brosse et rouleau.

Sizes/Conditionnements

1l and 3l cans/Pots de 1l et 3l





9050 Straw



9053 Honey



9072 Natural Grey



623 Burma Teak



9073 Shimmering Grey



9051 Mahogany



9706 Mountain Rock



9124 Red Riding Hood




9707 Grey Rock




676 Tar Brown



637 New Slate Grey



9052 Exotic Wood



678 Pine



9708 Forest



9701 Spring Green



683 Soot Grey

This colour card should be used as a guide only. Please note that the colour of the wood substrate will affect the final colour. We recommend that you apply the stain to a hidden test area before starting work.

Jotun Paints (Europe) Ltd
Stather Road
Flixborough, Scunthorpe
North Lincolnshire
DN15 8RR

**Jotun Decorative Orders
and Customer Services**
Telephone: +44 (0)1724 400 000
Fax: +44 (0)1724 400 130
Email: deco.uk@jotun.co.uk

Our paints comply with European
Commission VOC product directive
2004/42/CE, which limits the VOC content
of paints. Our water based paints already
comply with the 2010 limits set by the EU.



Jotun Protects Property